Tru-VEND® Vending Machines






Izmir Ataturk Industrial Zone

M. Kemal Ataturk Blv. 23, Cigli 35620, Izmir, **Turkey** Tel: +90 232 376 7300 | Fax: +90 232 376 7030 www.elektral.com.tr | elektral@elektral.com.tr

Designated for Innovative Technologies

CILING















The Pioneer Manufacturer of East Europe & MENA

Maxi-Buffet®

The Maxi-Buffet® is a high-capacity full-view front-glass combination vending machine which can dispense snacks and cold drinks at different temperature zones. It's robust built is designed to withstand various conditions ranging from crowded train-stations to the hot tropical climates. Ideal vending machine for crowded international airports, metro, or bus stations, universities, colleges and other public places.

- Standard 6 trays / 54 selections / 496 products
- 16 bit high-quality microprocessor
- Double-Glazed Low-E glass front

• MDB/Executive protocol for payment systems can be equipped with cashless payment systems, Change Giver, Bill Validator and/or Coin Selector or combinations.

Capacitive–touch keypad

• Anti-vandalism coin-entry slot

• Easy-to-use graphical LCD display

• Plastic product pushers (even small items can be vend easily)

IR product sensors to control delivery
Double–level alarm against vandalism and

unauthorised access to front door • Ultra-cool (+3 °C) slide-in refrigeration unit available

Product Code: 869755498223 Dimensions: 96 X 79 X 180 cms Net Weight: 270 Kgs

Tru-VEND®







Maxi-Kafe®

Maxi-Kafe[®]

The Maxi–Kafe[®] is a high capacity instant coffee vending machine, offering 18 hot drinks by Direct Selection for large offices or workplaces.

The enhanced model of Maxi–Kafe[®] is highly preferred and appreciated by operators from different countries. Easy to use, reliable and powerful Maxi–Kafe[®] will provide an increase of your vending operations. It has been manufactured to meet the requirements of operators and customers. Maxi Kafe[®] comprises of the following:

• Supports EVA DTS, Executive and MDB protocols can be equipped with Coin Selectors, Change Givers, Bill Validators, Cashless Payments Systems and Credit Cards.

• Easy user interface with Graphical LCD display

• 32 bit high performance ARM microprocessor technology, USB Flash connection, cloning (dosage adjustment) and "download statistics" option

• Capacitive Touch Keypad and anti–vandalism coin entry slot

• 8 tall 5 Lt canisters, 5 mixers, automatic cup and stirrer dispensers, enormous cup capacity 360 paper cups.

• Programmable automatic wash feature.

• Professional Water Pump enabling proper water supply (up to 24 Hrs. withstand even if left out of water), NSF Certified PP Plastic Components and Silicon Pipes.

Product Code: 869755498273 Dimensions: 65 X 57 X 165 cms Net Weight: 110 Kgs



Midi Kafe[®]



Midi–Kafe[®] is the ideal commercial coffee vending machine for any office or workplace. Enjoy one of the various hot drinks from its menu, or use your own premixto get special drinks of your taste.

Midi–Kafe[®] contains the following • 32 bit high performance ARM microprocessor

technology • Supports MDB protocol, can be equipped with a Coin Selector, Tokens or Cashless System

- 6 tall 5 Lt canisters, 4 Mixers
- Offers 10 selections with 230 cup capacity Automatic Cup Dispenser

• Professional Water Pump enabling Proper Water Supply (up to 24 hrs withstand even if left out of water), NSF Certified PP Plastic Components and Silicon Pipes. Base stand (optional)

Product Code: 869755498272 Dimensions: 52 X 52 X 90 cms Net Weight: 55 Kgs

Base Code: 869755498298 Dimensions: 53X 53 X 78 cms Net Weight: 28 Kgs





Supplement Vendor®

shake, equivalent to 216 times of a hand shake!! FEATURES

- 18 30 Seconds dispense time
- Ensures reliable operation with IR Cup Sensor
- Professional dosing adjustment menu
- erroneous sales

Product Code: 86975549827201 Dimension: 52 x 52 x 90 cm

Weight: 55 kg

Supplement Vendor[®]

222222

One of its kind Vending Machine dispensing Protein drinks. This machine is the perfect solution for preparing a protein

• 9 Different supplement Selections, 5 Product Canisters (2 unit – chocolate & Strawberry, GAINER, Fat burner, NOX, BCAA) • 4 High performance Mixers with Slide in Type Motor Assembly enabling easy maintenance and cleaning. • 32-bit High Performance Microprocessor Controlled, MDB Protocol Supporting Coin Selector (Coins & Tokens), Contact-

- less Cards (Mifare) & Tokens (Cashless Payment Systems), Credit Card

• BITE (Built-in Test Equipment) automatically Fixing problems and/or Warning Messages on LCD and Collecting data on

• Storage of Statistics via Counters, reports by USB to the owner • Optional storage base cabinet (78 x 53 x 53 cm, Weight: 28 kg)





Machines ding bottled drinks. Se F Se Ŭ hicle





- MDB/Executive protocol support.
- Automatic product dispense using Coin Validator, Credit Card Payment Mechanisms.
- 33 plastic bottles (500 ml) capacity with single selection, columns design mechanism.

- 24 V vehicle battery operation

Vehicle Vendor[®]

A next generation vending machine with innovative platform and engineering so as to providing maximum operating efficiency, flexibility and profit. Excellent capacity for transportation vehicles, buses/coaches for selling food and

- Compact Design Vending Machine.
- Remote Connectivity feature via tablet, smart phone, PC (Elemetri).
- High performance with advanced ARM technology.
- MDB/Executive Protocol support.
- · Compatible with all payment mechanisms: Coin Changer / Bill Validator / Credit
- Cards, Pre-Paid Cards.
- Data Transmission connection via WiFi, Ethernet, USB, RS232 and Firmware Update
- Availability via these interfaces.
- Touch-pad and Anti Vandalism Kevpad.
- User Friendly Graphical LCD.
- Adjustable LED Illumination
- Vandal proof double alarm system
- Reliable delivery operation thanks to advanced IR sensor system
- Efficient cooling during hot summer days
- Fortified polyurethane insulation system
- Mono-block trunk
- Suitable to operate with 24 V vehicle battery

Code: 869755498265

Dimensions: 85 x 125 x 50 cm Weight: 155 Kg

Aaua Vend®

Aqua Vend is a specially designed vendor for busses,

- making cold bottled water service automatic.
- Occupies very little space thanks to its compact design. • High performance ARM microprocessor.
- Effective cooling during hot summer season.
- Outer cabinet built with anti-corrosive steel material.
- Double level lock mechanism.

Code: 869755498261 Dimensions: 86 x 105 x 20 cm Weight: 70 Kg



Mobi Snack[®]

Mobi Snack is a specially designed chilled snacks and drinks vendor with cooling module for busses.

- Compact Design Slim Line Small Location Vending Machine
- High performance with ARM processor technology.

• Stable payment mechanism with MDB Protocol based Coin . Validator.

- Firmware Update, obtaining Logs, access to statistics, settings and storage with hand held terminal.
- Anti-Vandalism touch keypad.
- 16 x 2 characters LCD screen and easy user menu.
- LED illumination.
- Tampered double layer front glass widow.
- Reliable product dispensing with IR Sensors.
- Polyurethane injected effective insulation system
- Efficient cooling during hot summer days.
- Corrosion-resistant production material
- 24 V power supply battery operation

Code: 869755498262 Dimensions: 86 x 105 x 25 cm Weight: 75 Kg



Mini-Icu®

The Mini–Icy[®], powder based cold beverage dispenser is a must–have for workplaces and HoReCa (Hotels Restaurants and Cafes) businesses. Equipped with adjustable refrigeration settings and a mixer, the Mini–Icy[®] lets you serve your favourite beverage formula at your preferred serving temperature.

- 8 Cold–Drinks selection (4 single + 4 cocktail drinks)
- 4 X 1.8 Lt ingredient canisters
- Plug–Play Sliding Static Cooling Unit
- Stainless steel tank
- LED illuminated Advertisement Panel
- Optional Payment System compatible with parallel protocol
- Capacitive Touch Keypad
- 2 protection fuses

Product Code: 869755498276/01 Dimensions: 30 X 70 X 42 cms Net Weight: 35 Kas



Kafemat®

KafeMat[®]is a perfect fit coffee dispenser for offices.

- 3 Product Canisters 1 Mixer
- 4 Different Hot Drinks Selection
- •USB connection, cloning (dosage adjustment)
- and "download Statistics" option
- Consecutive dispense of hot drinks without heat loss LCD screen, Direct Selection

Product Code: 869755498282 Dimension: 40 x 21 x 60 cm Weight: 15kg



Super Souper®

"Super Souper" Soup Dispenser is our new range of Soup dispensing machine. This is a perfect fit in all HoReCa, and corporate offices so you can provide delicious soups to your employees and customers.

• Easy Programming with User Friendly 2 x 16 Character LCD Display

• Consecutive service of 50 cups without heat loss / 350 cups/hour serving capacity.

• 4 Product Canisters, 4 different flavor Soups

• 3 High Performance Mixers with Slide in type Motor Assembly enabling easy

maintenance and cleaning

• Cup Counter, analyze statistics and advanced reports by USB

Product Code: 869755498279 Dimension: 42 x 40 x 70 cm Weight: 31 kg







Product Code: 869755498279 Dimensions: 40 X 42 X 70 cms Net Weight: 31 Kgs

impressively as they look.

- beverages.
- Cups/hour.

- CE certified

Mini Black INSTANT®

Mini–Black Instant is a brand new compact and stylish table top instant beverage machine which produces several drinks from soluble ingredients (instant coffee, chocolate, milk, tea). Mini–Black INSTANT® table top machines perform as

• 3–4 Product Canisters(Optional), 2–3 Mixer (Optional) • 8 out of Different Hot Drinks Selection, programmed for 23 hot

Consecutive service of 50 cups without heat loss, Capable of 350

 Large LCD screen, Direct Selection • Optional Payment System compatible with parallel protocol • 32 bit advanced electronic ARM processor technology • USB connection, cloning (dosage adjustment) and "download statistics" option



100



Change Giver and Card Recharging Machines

Maxi Change Giver and Card Recharging Machine

• Changes banknotes into up to 3 different denomination coins(Example: You may insert 10 EUR Bill and receive 4 x 2,00 EUR Coins, 1x 1,00 EUR Coin and 2 x 0,50 EUR Coins *in return).*

 Charging Contactless Prepaid Cashless Payment System Cards.

• Communicates with Coin Selector, Bill Validator and Cashless Payment System via MDB Protocol.

• Advanced Technology Bill Validator in use with 300 Banknotes Capacity Stacker.

• High Quality Coin Selectors in use accepting Coins and Change Function (Example: You may insert a 2,00 EUR *Coins and May receive 1x 1,00 EUR Coins and 2x0,50 EUR* Coins etc.).

- 1500 pcs storage capacity Cash Box.
- 3 different Hoppers (CCTALK).
- Each hopper has approx. 1000 pcs Coin Capacity.

• 4 different Buttons and 3 Different Selections (Metal Push Buttons).

• 16x2 Character LCD.

• Easy User Interface.

• RS232 communication interface (Optional Printer Unit etc. applications).

• Detailed Machine LOG keeping with Date-Time information.

• Machine Cloning and Saving Statistics using SD Card (read-write).

• Changing Menu Language via SD Card.

- Operates with 220V AC.
- Robust Metal Cabinet.

Code: 869755498294 Dimensions: 50 x 35 x 88 cm Weight: 53 kg



Mono-Changer

• Accepts Banknotes and it changes them to only 1 type of coins. Can be used in places where number of Vending Machines are in operation, to eliminate the need of several payment mechanisms. Includes 1 Hopper and 1 Bill Validator

• 300 banknotes, 1000 of 1 Euro coins or 1200 of 50 cent coins can fit in the Hopper.

Code: 869755498293 Dimensions: 30 x 30 x 46cm Weight: 30 kg



6 Machine Vending РП

PPE Vending Machine®

by using employee tracking system.

- Standard 6 Trays, 54 Selections

- Capacitive Touch Keypad

- Reduces stock costs to minimum.
- Prevents irresponsible usage.
- 24/7 service with no issues.
- Increases productivity
- Helps with supply issues
- Daily, weekly and monthly reports availability

on products and personnel basis. Dimensions 79 x 96 x 180 cm Weight: 250 Kg



KISISEL KORUYUCU DONANIMLARI

CE001

堂園

THAT IS

İŞ ve İŞÇİ GÜVENLİĞİ

Geç Olmadan!..

- Designed to provide usage limitation of personal protective equipment products on the employee basis,
- 16-bit High Performance Microprocessor Controlled MDB and EXECUTIVE protocols supporting Change Giver, Coin Selector, Bill Validator and Cashless Payment Systems, integrated with Personal Control System.
- GSM/GPRS web based Remote Access and Data Transfer with PC (Telemetry) (Optional)
- BITE (Built-in Test Equipment) automatically Fixing problems and/or Warning
- Other advantages from the conventional product.
- Saves resources due to the controlled usage
- Personnel and stock based control with remote tractability
- Provides restricted and non-restricted usage options with personnel cards. With personnel traceability cards the equipment can either be offered without restrictions or with restrictions

Vend-ICE – Midi®

Medium version of our VEND-ICE Maxi. Freezing temperature system combined with latest vending technology packed in a compact size machine. This machine is designed to provide Low temperatures at user friendly power usage.

Specifications:

0

•

Z

L

U

4

2

0

- Standard 4 trays / 28 selections / 224 products
- 16 bit high-quality microprocessor
- BITE Built–In Test Equipment constantly checking for errors.
- Double Electronic Thermostat controlled energy efficient cooling feature provides long product life
- MDB-Executive-Parallel protocols are available. Payment systems such as Banknote Reader, Change Giver, Coin Selector and Cashless Payment Mechanism are supported.
- All status, parameters and alarm input / output of the cooling system can be monitored via a mobile phone and also by web based Remote Access and Data Transfer module
- Can be controlled via RS 232 interface.
- Enhanced Motor Control System enabling detailed functional control
- IR product sensors to control delivery
- Double–level alarm against vandalism and unauthorized access to front door and more
- Ultra-cool (–22 °C) refrigeration unit.

Product Code: 869755498228 Dimensions: 73 x 65 x 150 cm (wheels included) Net Weight: 150 Kgs







Specially made for selling Bread, bagels and other Bakery items preferably packed. Keeps the products fresh and heated. Specifications:

• 16 bit high-quality microprocessor

• Double-Glazed Low-E glass front

• MDB/Executive protocol for payment systems, can be equipped with cashless payment systems, Change Giver, Bill Validator and/or Coin Selector or combinations.

• Easy-to-use graphical LCD display.

• Adjustable trays and spirals, 7 Trays – Maximum product capacity (Optional), Standard 6 trays.

• The capacity of the products varies according to the size of the product to be placed in the vending machine, approximately as follow:

• Bun 9x6=54 pcs per shelve

•Bagel 4x12=48 pcs per shelve

•Bread (300 gr) 3x4=12 pcs per shelve

•IR product sensors to control delivery

•Temperature control from 0 to 40 °C

Product Code: Dimension 79 x 96 x 180 cm Gross Weight: 250 Kg

Midi Mobi[®] NOVO This Vending Machine is designed for selling Mobile Phone Accessories and similar products.

• Robust Design, preventing forced external damages, which allows vending of valuable items.

CTD.

ULYHA COLI

O PLAN

@]

10

1

 Supports MDB/Executive protocols for payment systems.

• Cashless Payment Systems, Credit Card, Change Giver, Bill Validator and/or Coin Selector or combinations.

• EVA-DTS with GPRS support (Optional).

• BITE (Built-in Test Equipment) automatically fixing problems and/or displaying Warning Messages on LCD.

• Advanced IR product sensors to control delivery.

 Anti-theft products dispense hall cover.

• Secure alarm system to prevent vandalism or burglary & Electro-Mechanical Secure Locking System. • Heavy duty, hidden hinges system

in 4 spots

Code: 869755498225 Dimenions: 47 x 78 x 188 cm Weight: 142 Kg

Midi Buffet STD

Snacks & Beverages Vendor

• Sturdy, aesthetic, medium capacity Midi-Buffet STD has superior features and can vend beverages and snacks such as biscuits, chocolate, sandwiches, crisps. • ECONOMIC cooling feature.Code: 869755498265

• High performance microprocessor, MDB / EXECUTIVE Protocol Support.

• 4 shelves, 28 product selections (standard).

• Supports operating with Bill Validator, Coin Selector, Change Giver, Cashless Payment Mechanism, Credit/Debit Card Mechanism, Hand-Held Terminal allows easy access to Statistics, Data Logs, updating Settings and Records.

• Capacitive Touch Keypad and optional Outdoor Anti-Vandalism Metal Keypad.

• Easy to use Graphical LCD display and simple menu.

• Reliable operation with IR/Piezo Product Sensor.

• Outstanding Cooling Capacity even during summer days, with highly effective Cooling Module (+3°C).

• Robust steel cabin and reinforced Polyurethane Insulation System.

Protection against wrong product refilling.

• Advanced IR sensor to control product delivery.

• Double-Level Door Access/Alarm against Vandalism and unauthorized access.

• Power LED Lightning Feature, Double-Glazing Tempered Low-E Glass front

door.

• Low Energy consumption, environmental friendly.

Code: 869755498224

Dimenions: 87 x 70 x 154 cm (including wheels) Weight: 150 kg

9

Midi Mobi[®] NOVO

• Two levels with 26 selections each



Midi Buffet[®]

Midi Buffet[®]

A next generation vending machine with innovative platform and engineering for providing maximum operating efficiency and flexibility. Excellent capacity for smaller locations with base stand or can be wall-mounted

- Perfect for selling unusually small items
- Supports MDB/Executive protocols for payment system,
- Cashless Payment Systems, Credit Card, Change Giver,
- Bill Validator and/or Coin Selector or combinations
- Easy selection pricing feature
- Easy–to–use LCD display
- BITE (Built-in Test Equipment) automatically fixing problems and/or Warning Messages on LCD
- IR product sensors to control delivery
- Secure alarm system to prevent vandalism or burglary
- Smart online telemetry system with full
- audit control sales, statistics, products,

errors etc. is also supported

Product Code: 869755498224 Dimensions: 82 X 22 X 125 cms Net Weight: 50 Kgs



Your Idea Our Innovation

Mini Changer





.

m





Product	Maxi kafe	Midi Kafe	Mini Black Instant	Mini Black Espresso	Supplement Vendor	Mini Icy	Kafe Mat	Super Souper
LCD / GLCD	Large Graphical LCD for Easy Selections and Programming	2x16 Character LCD for Selections and Programming	2x16 Character LCD for Selections and Programming	2x16 Character LCD for Selections and Programming	2x16 Character LCD on the front for Selections and Programming	2x16 Character LCD on the front for Selections and Programming	2x16 Character LCD on the front for Selections and Programming	2x16 Character LCD on the front for Selections and Programming
Keypad	Direct Selection	Direct Selection	Direct Selection	Direct Selection	Direct Selection	Direct Selection	Direct Selection	Direct Selection
Selections	18 Selections	10 Selections	8 Selections	8 Selections	9 Selections	8 Cold-Drinks selection (4 single + 4 cocktail drinks)	4 Selections	3 Selections + Hot Water
USB connection, cloning, download (dosage adjustment)	\checkmark	-	\checkmark	\checkmark	\checkmark	-	\checkmark	\checkmark
Illuminated Ad Space	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	-	\checkmark
Payment System	MDB and Executive protocols Support, Coin Selector, Change Giver, Bill Validator, Cashless Systems	Coin Selector (MDB), Tokens or Cashless System	Coin Selector (Parallel Protocol)	Coin Selector (Parallel Protocol)	Coin Selector (MDB), Tokens or Cashless System	-	-	-
Stirrer Dispenser	√	-	-	-	-	-	-	-
Cup Sensor	√	~	-	-	-	-	-	-
Sugar Dosage	1	1	-	-	-	-	\checkmark	-
Cup Dispenser & Capacity	360 carton	200 carton	-	-	-	-	-	-
Canisters	8 Tall Canisters (Coffee, Sugar, Tea, Milk Powder, Chocolate, Fruit Tea 1, Fruit Tea 2, Sahlep (Premix)	6 Tall Canisters (Coffee, Milk Powder, Chocolate, Fruit Tea, Sugar, Tea)	3 or 4 Canisters, (Coffee, Milk Powder, Tea, Chocolate)	3 Canisters, (Coffee, Milk Powder, Chocolate)	5 Tall Canisters, (PROTEIN 1, PROTEIN 2,GAINER, FAT BURNER, BCAA, NOX)	4 Ingredient canisters	3 Canisters, (Coffee, Milk Powder, Sugar)	3 Canisters
Instant Product Container	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark		\checkmark
Coffee Bean Container	-	-	-	V	-	-	-	
Mixers	5 Mixers	4 Mixers	2 Mixers or 3 Mixers	2 Mixers	4 Mixers	1 Mixer	1 Mixer	2 Mixers
Heating (or) Cooling	4,5 L Boiler Tank 1800 W Immersion Heater	4,5 L Boiler Tank 1800 W Immersion Heater	4,5 L Boiler Tank 1800 W Immersion Heater	4,5 L Boiler Tank 1800 W Immersion Heater	-	1.8 L internal cooling unit	0,75 L Boiler Tank 800 W Immersion Heater	4,5 L Boiler Tank 1800 W Immersion Heater
Water Supply	Tap Water or Water Tank	Tap Water or Water Tank	Tap Water or Water Tank	Tap Water or Water Tank	Tap Water or Water Tank	Tap Water or Water Tank	Tap Water or Water Tank	Tap Water or Water Tank
Electricity Supply /Consumption	230 V - 50 Hz / ~ 1800 W	230 V - 50 Hz / ~ 1800 W	230 V - 50 Hz / ~ 1800 W	230 V - 50 Hz / ~ 1800 W	230 V - 50 Hz / ~ 100 W	230 V - 50 Hz / ~ 350 W	230 V - 50 Hz / ~ 800 W	230 V - 50 Hz / ~ 1800 W
Dimensions (cm)	57 X 65 X 165	52 X 52 X 90	40 X 42 X 70	40 X 42 X 80	52 X 52 X 90 CM	30 X 42 X 70	21 X 40 X 60	40 X 42 X 70
Weight (kg)	110	55	31	35	55	35	15	31
Base Stand	FREESTANDING EQUIPMENT	Optional (53 X 53 X 80 CM)	Optional (40 X 50 X 80 CM)	Optional (40 X 50 X 80 CM)	Optional (53 X 53 X 80 CM)	Optional (36 X 50 X 80 CM)	Optional (36 X 50 X 80 CM)	Optional (53 X 53 X 8 CM)



Product	Maxi Buffet Combo Vending	Cold Drinks VendingMachine	Vend ICE Midi	Bread and Bakery Vending	Personal Protective Equipment Vending	Midi Buffet STD	Midi Buffet Slim	Midi Mobi Novo
Machine Type	Spiral							
Rows	6 shelves	6 shelves	4 shelves	6 shelves	6 shelves	4 shelves	10 shelves (single selection)	2x13 shelves (single selection)
Selections (Fixed/Variable)	54 - Variable	54 - Variable	28 - Variable	26 - Variable	54 - Variable	28 - Variable	10 - Fixed	26 - Fixed
Temperature Control	3°C	3°C	-22°C	40°C	-	3°C	5 - 6° C less than room temperature	_
Dimensions & Weight	79 x 96 x 180 cm & 270Kg	79 x 96 x 180 cm & 270Kg	73 x 65 x 150 cm& 150Kg	79 x 96 x 180 cm & 250Kg	79 x 96 x 180 cm & 250Kg	73 x 65 x 150 cm& 150Kg	82 x 22 x 125 cm 50 Kg	78 x 47 x 188 cm 140 Kg
Temperature Module	Optional Cooling	Obligatory Cooling	Obligatory Cooling	Heating Module	-	Optional Cooling	Optional Cooling	_
Payment System	MDB Support, Coin Selector, Change Giver, Bill Validator, Cashless Systems	MDB Support, Coin Selector, Change Giver, Bill Validator, Cashless Systems	MDB Support, Coin Selector, Change Giver, Bill Validator, Cashless Systems	MDB Support, Coin Selector, Change Giver, Bill Validator, Cashless Systems	MDB Support, Coin Selector, Change Giver, Bill Validator, Cashless Systems	MDB Support, Coin Selector, Change Giver, Bill Validator, Cashless Systems	MDB Support, Coin Selector, Change Giver, Bill Validator, Cashless Systems	MDB Support, Coin Selector, Change Giver, Bill Validator, Cashless Systems
Base Stand	_	-	_	-	-	-	V	_
Electricity Supply /Consumption	230 V - 50 Hz, 50 W - Standby, 450 W - Cooling in operation	230 V - 50 Hz, 50 W - Standby, 450 W - Cooling in operation	230 V - 50 Hz, 550 W Cooling in operation	230 V - 50 Hz, 50 W - Standby, 600 W - Heating in operation	230V-50Hz, 50W	230 V - 50 Hz, 300 W Cooling in operation	230 V - 50 Hz, 50 W - Standby, 100 W Cooling in operation	230 V, 50Hz, 70 W



Remote Control Software – Payment Systems

Elemetri[®], Elemetri Pro[®], Elemetri Cashless[®]

• All our High Segment vendors are compatible to operate with Elemetri®, Elemetri Pro® (Personal Protective Equipment Vendor) remote control software and Elemetri Cashless® payment systems.

Elemetri®

- Remote Access to all details (Shelves-Stock status, operating details etc.) of your vendor.
- Tracking the products stock, obtaining sales and collected cash logs.
- It saves your time, money and energy without having to go to the vending machine all the time.

Elemetri Pro®

• Implemented to the PPE Vendor, Elemetri Pro system allows settings/limitations of which and how many PPEs the worker may obtain.

Provides statistical data analysis and reports for the past 10 years.

Elemetri Cashless®

- This payment system allows customers to use the vendors without the need of bills and coins through virtual POSs or payment gateways.
- Avoids complications like bill jams or deficiencies of monetary amount.

Since our vendors are designed with the latest MDB Protocols, they are compatible to operate with all kinds of payment systems (Change Giver, Coin Validator, Bill Validator, Credit/Debit Card Payment mechanisms)

Let your cell phone, tablet or PC become your Office!..







EXPORT TO 60 COUNTRIES

