


Tru-VEND[®] Vending machines

Designated for Innovative Technologies



A woman with blonde hair, wearing a light purple long-sleeved shirt and grey trousers, is sitting cross-legged on a large stack of gold coins. She has her arms raised in the air, looking upwards with a joyful expression. Above her, a grey vending machine is tilted, with various colorful snack packets visible inside. Numerous gold coins are falling from the machine and are scattered all around the woman, creating a sense of abundance and success. The background is a bright, out-of-focus office or modern building interior.

*She sells,
You earn[®]*



With nearly half a century of successful history, Elektral A.Ş. has been recognized as the Export Star in its country and awarded for Innovation Excellence in its region. It stands as Türkiye's first and only factory specializing in vending machines.

The fully integrated machinery line within Elektral A.Ş. starts the production process from raw metal sheet and transforms it into a high-tech product ready for global markets.

From ice cream to hot meals, coffee to cold beverages, soup to sports drinks, sanitary pads to ballet flats, Bread on a Hanger vending machines to liquid dispensing machines, stationery supplies to personal protective equipment, Elektral A.Ş.'s vending machines can deliver a wide range of products. Equipped with the latest technological advancements, these machines operate with credit cards, prepaid cards, banknotes, and coins, provide change, and perform age verification.

Producing thousands of devices under the motto "Quality, Economy, and After-Sales Service," Elektral A.Ş. has secured a strong presence in the industry. It has also been accepted as a member of the European Vending Association (EVA), proudly representing the resilience and strength of Turkish industry.

Please watch our
presentation film







The Pioneer Manufacturer of East Europe & MENA



We Design Tomorrow – Today, With Our R&D Center!

Certified by the Ministry of Industry and Technology, our R&D Center is shaping the future in security and vending solutions.

Industry-Leading Innovations

- **Ministry of Industry and Technology Approval:** Elektral R&D Center has received official approval to develop the most advanced projects in the industrial and technological fields.
- **Global Impact:** With solutions provided to over 60 countries, we have established a strong presence in the global market.
- **Innovative Growth:** Having designed and produced over 2 million vending machines so far reflects our commitment to continuous development.
- **Award-Winning Innovation:** Recognized as the "Innovation Champion" in our region, our center has solidified its leadership in the industry.

What Sets Us Apart?

- **Innovative Prototype Production:** With our R&D department, we create custom prototypes for each project using advanced CAD design and 3D printing technologies.
- **Precise Testing Processes:** We elevate quality to the highest level with flying probe and electronic circuit inspection systems.
- **Expert Team:** The Elektral R&D team is composed of the most skilled engineers in the industry. Each project reflects our expertise and experience.
- **Customer-Centric Solutions:** By offering tailored solutions to meet each customer's unique needs, we strengthen our collaborations.

Innovation and Success

- Globally recognized products.
- Strategic partnerships and global certifications.
- Successful product launches of innovative security devices and vending machines.



Awards Given to Elektral A.Ş.



Surface Treatment and Painting

Powder Coating: Metal surfaces are coated with durable and high-quality powder paint.

Laser Marking: Data on the product is permanently engraved using laser technology.

Testing and Inspection

Flying Probe Testing: Functional tests are performed on electronic boards.

Electronic Board Inspection: All electronic boards undergo quality assurance tests.



Cutting and Shaping

Laser Cutting: Metal sheets are shaped using laser cutting technology.

CNC Bending & Drilling: Metal sheets are precisely bent and drilled using CNC robots.



Electronic Component Assembly

PCB Prototyping: Electronic circuit boards are designed with high precision.

SMD Splicing Line & Board Design: SMD components are assembled, and the boards are placed.



Final Production and Assembly

Plastic Injection & ABS Thermoforming: Plastic parts are produced and prepared for assembly.

Polyurethane Casting & Vacuum Forming: Products are shaped using specialized manufacturing techniques.



All Processes, Under One Roof

Maxi-Buffer®

Sturdy, aesthetic, and capable of holding a wide range and quantity of products. It can vend various items such as biscuits, chocolate, cold sandwiches, beverages, and chips. With its durable design, it is ideal for crowded locations. It operates seamlessly in busy environments like international airports, train and metro stations, bus terminals, universities, and colleges.

- Max. 7 Shelves, 63 Different Product Selection (Standard 6 Shelves, 54 Varieties).
- High-Performance Microprocessor.
- MDB / EXECUTIVE Protocol Support.
- Systems for Banknotes, Coins, and Change, Smart Card (Cash-Free Operation), QR Code Reading, Credit Cards (Contactless/PIN), and Tokens.
- Statistics, Log Collection, Updates, Access to Settings, and Records via Handheld Terminal.
- Touchpad and Optional Outdoor Anti-Vandalism Metal Keypad.
- Power LED Lighting, Double Layer, Tempered Low-E Full Display Glass.
- ALARM Equipped for Tampering and Forced Opening (2-Stage Door Opening / Impact Sensor).
- Reliable Operation with IR Product Sensor.
- High Power Cooling Module for Superior Cooling Capacity (+3°C), even in Summer.
- Sturdy Steel Cabinet and Reinforced Polyurethane Insulation System.
- Remote Monitoring via Elemetri Application.

Code: 869755498223















Dimensions: 96 X 79 X 180 cm

Weight: 270 kg



Tru-VEND®



-  Energy efficient long-life LED illumination
-  Interactive graphical LCD
-  Cashless payment solutions
-  Dust-resistant capacitive touch keypad
-  Modular front-plate
-  Bill Validator
-  Anti-vandalism stainless steel coin slot
-  Double-glazed low-E glass front
-  Change Giver
-  Coin-return chute
-  IR sensors to ensure product delivery
-  Self-locking compartment to prevent thefts
-  Double-stage alarm
-  Ultra high (+3° C) refrigeration

Maxi-Buffer®

Tru-VEND[®]



18:58 19:43
19:21 20:02
20:01 20:12
19:15 20:05
19:22 20:01
9:30 20:18

Midi Buffet STD®

Midi Buffet®STD

Food and Beverage Vending Machine

- The Midi-Büfe STD is a robust, aesthetically designed, medium-capacity vending machine with advanced features, capable of vending a wide variety of products, including biscuits, chocolate, cold sandwiches, beverages, and chips.
- Provides energy efficiency with its economical cooling system.
- Works seamlessly with a high-performance microprocessor and supports MDB / EXECUTIVE Protocol.
- Has a capacity of 4 shelves and can hold 32 different product varieties (standard).
- Supports MDB / EXECUTIVE Protocol, allowing operation with banknotes, coins, and change-return systems, as well as smart card (cash-free operation) and credit card payments.
- Access to statistics, log retrieval, updates, settings, and records via handheld terminal.
- Secure operation with a touchpad and an optional outdoor anti-vandalism metal keypad.
- Features a graphic LCD screen.
- Reliable operation with IR / Piezo product sensors.
- High-powered cooling module ensures superior cooling capacity (+3°C), even on hot summer days.
- Durable steel cabinet and reinforced polyurethane insulation system ensure long-lasting reliability.
- Provides safety against incorrect product placement errors.
- Advanced product drop sensor detects fallen products.
- Equipped with alarm protection against tampering and forced opening (2-stage door opening, impact sensor).
- Power LED lighting, double-layer tempered Low-E full display glass.
- Low energy consumption and environmentally friendly design.

Code: 869755498224

Dimensions: 87 x 70 x 154 cm (Including wheels)

Weight: 167 kg

Our company is a self-service vending machine solution partner for the Tüvasaş Turkish Electric High-Speed Train System.



Midi Mobi® NOVO

Perfect Solution for Small Product Vending

- 2 compartments, offering 26 different product options.
- Special front panel design to display products.
- LED lighting.
- Compatible with all payment systems.
- GPRS and Bluetooth modem connectivity options.
- GSM/GPRS telemetry systems (Optional).
- Compatible with EVA DTS, MDB/Executive/cttalk protocols.
- Anti-vandalism coin compartment.
- Reliable operation with advanced IR product sensor. Detection of undropped products ensures credit availability, and the ability to continue shopping or receive a refund prevents vandalism.
- Electromechanical safety with 2-point ARM lock system.
- High-security 4-point hidden hinge system.
- 1 SPI connection port supporting 2 devices (Ethernet, Wireless, SD/MMC Card, etc.).
- 120 db alarm sound output.

Code: 869755498225

Dimensions: 78 x 38 x 184 cm

Weight: 150 kg



Midi Buffet Slimline®

Compact Vending Machine for Small Spaces

- The compact design allows for easy use in small spaces, can be wall-mounted or used with a base.
- Offers a wide range of products from snacks to mini shampoos, cigars to chewing gum, with a 10-shelf capacity.
- High-performance microprocessor-controlled MDB/EXECUTIVE Protocol Support, EVA DTS Protocol Compatibility, works with coin and change-return systems, and paper money mechanism. Also supports payments via contactless cards, credit cards, and tokens.
- Easy operation with a 3x4 capacitive (touch) keypad or outdoor waterproof keypad (Optional).
- Secure usage with an anti-vandalism metal keypad (Optional).
- Graphic LCD screen with a English menu for easy use.
- Reliable operation with IR product sensor and undropped product detection, allowing for continued shopping or refunds.
- Offers customizable shelf/spiral options as per customer request.
- Digital advertising LCD (Optional) for advertising space.
- Flexible use with easy product pricing programming feature.

Code: 869755498224

Dimensions: 86 X 26 X 125 cm

Weight: 50 kg



Tru-VEND® Jumbo Vending Machine

With a wide product range and ease of use, Tru-VEND® Jumbo Vending Machine provides quick access to any product with a single touch. It allows for simultaneous sales of snacks and cold beverages, enabling a rapid return on investment.

- Manufactured in compliance with CE and international standards, under ISO 9001:2015 QMS.
- High capacity and high-performance microcontroller-controlled MDB and change device, coin selector, bill validator, wireless payment systems, and supports international credit card payments with Executive protocols.
- Maximum capacity of 8 trays, 80 options, and 640 product storage capacity (Standard: 6 trays, 60 options).
- Double-glazed, low-E tempered front glass for full visibility and multi-option snack vending.
- Can be designed with spirals or conveyor belts upon request.
- Features an elevator system, with products retrieved from the center of the machine.
- Green LED warning system on the product retrieval cover.
- Operates with a computer system and large screen, allowing users to simply click on the image of their desired product for easy retrieval.
- Simplified internal structure with single card and computer system, instead of multiple cards.
- Product delivery information is gathered via Load Cell.
- Users enjoy a pleasant shopping experience with the wide screen.
- Easy to add interfaces or use the developed software.
- Real-time date-time function for activating hourly pricing (Happy Hour).
- Programmable energy-saving mode with a schedule to reduce power consumption.
- GSM/GPRS-based remote access and data transfer (optional).
- Extra-strong locking mechanism and locked cash box for secure and reliable design.
- Advanced motor control system for detailed functional control.

Code: 223JMB

Dimensions: 147 X 84 X 185 cm

Weight: 380 kg



Bread (Bakery) Vending Machine



An ideal solution for offering bread, bagels, and pastries in a hygienic, fresh, and safe manner.

- The number of products changes depending on the size of the products placed inside the vending machine.
- It is recommended that the products placed in the vending machine be packaged to ensure hygiene and maintain freshness.
- High-performance microprocessor, MDB/Executive protocol support.
- Compatible with banknotes, coins, and change return, smart card (cashless operation), credit card.
- Alarm-equipped against tampering and forcing (2-stage door opening/impact sensor).
- Power LED lighting, double-layer tempered Low-E full display glass.
- Reliable operation with IR product sensor.
- Easy to use with a graphic LCD screen and English menu.
- Adjustable shelves and spirals.
- Approximate capacity:
 - Pastries: 9 x 6 = 54 pieces per shelf.
 - Bagels: 4 x 12 = 48 pieces per shelf.
 - Bread (300 gr round): 3 x 4 = 12 pieces per shelf.
- Temperature control from 0 to ~40°C.

Code: 869755498223

Dimensions: 79 x 96 x 180 cm

Weight: 250 kg

Vend ICE - Midi


Ice Cream Vending Machine

- Capable of selling high-capacity packaged ice cream.
- High-performance microprocessor with MDB/EXECUTIVE protocol support.
- Compatible with banknotes, coins, and change-giving systems; smart card (cashless operation); and credit card payment systems.
- 4 shelves with a capacity for 28 different product types (standard).
- Ultra-cooling feature with adjustable temperatures between -11°C and -22°C.
- Adjustable alarm limits in normal operating mode.
- Sends messages to predefined numbers if temperature or alarm limits are exceeded (Optional).
- Advanced product drop sensor system to detect dropped products.
- Equipped with an alarm system against tampering and forcing (2-stage door opening/impact sensor).
- Power LED lighting with double-layer, tempered Low-E full display glass.
- Reliable operation with IR/Piezo product sensors.
- Easy to use with a graphic LCD screen.

Code: 869755498228

Dimensions: 87 x 70 x 156 cm (including wheels)

Weight: 167 kg



Vend ICE - NOVO

Ice Cream Vending Machine

- Fully microprocessor-controlled MDB interface with high-capacity EEPROM storage.
- Full-view multi-option vending machine with a large triple-glass, heated LOW-E glass front.
- Standard 5 shelves with 35 selections (~220–300 product storage capacity).
- UPS for power outages (Optional).
- User-friendly interface with a graphic LCD screen.
- BITE (Built-In Test Equipment) automatically fixes issues and displays warning messages on the graphic LCD.
- Dual electronic thermostat-controlled energy-efficient cooling feature ensures extended product lifespan.
- Decorative LED indicators (green for product delivery, orange for normal operation).
- ABS polyurethane insulated compartment door.
- Anti-frost feature with defrosting system.
- Equipped with an ALARM system that triggers an audible alert in cases of unauthorized door opening, impact, or vibration.
- All cooling system statuses, parameters, and alarms can be monitored via a (optional) fieldbus communication module.
- IR product sensors to verify product delivery.
- Ultra-cold (-22 °C) cooling unit.

Code: 869755498228

Dimensions: 86 x 75 x 184 cm

Weight: 272 kg



Mini Icy®

Cold Fruit-Flavored Beverage Vending Machine Using Powdered Drinks

- Equipped with four 1.8-liter product tanks and one mixer to offer seven types of cold beverages (four main drinks, three cocktails, and cold water).
- Plug & Play functionality for easy setup and use.
- Sliding static cooling unit.
- High-performance microprocessor with parallel protocol compatibility.
- Dual-sided LED lighting.
- Touch keypad for effortless operation.
- Stainless steel tank for durability and hygiene.
- Dual-fuse protection for added safety and reliable performance.

Code: 869755498276107

Dimensions: 30 X 70 X 42 cm

Weight: 35 kg



Kafe-Mat®

Compact Coffee Dispenser Designed for Small Spaces

- Space-saving design with a compact footprint.
- Equipped with 3 product canisters and 1 mixer.
- Offers 4 product options.
- High-speed mixers ensure excellent and professional coffee preparation.
- Operates with instant products.
- USB flash support for device cloning, statistics and log retrieval.
- Features a graphic LCD display with direct selection.

Code: 869755498282

Dimensions: 40 x 21 x 60 cm

Weight: 15 kg



Powder Soup Dispenser®

HORECA-Style Soup Vending Machine

- Offers a variety of hot soups using instant products with 3 or 4 product tanks.
- High-performance 2 or 3 mixers available for easy installation (Optional).
- Capacity to serve up to 50 cups of soup consecutively.
- Easy-to-use English interface and control menu with a graphic LCD display.
- Direct selection functionality.
- Coin mechanism (Optional).
- Easy program setup via USB, cloning (dose adjustments), download options, and log retrieval.
- Maintenance and cleaning alarm for the waste tank.
- CE certified.
- Can be directly connected to a water network.
- Utilizes the latest ARM processor technology and supports parallel protocol.
- Delivers quick and steaming hot soup options.

Code: 869755498283

Dimensions: 40 X 42 X 70 cm

Weight: 31 kg



Mini Black INSTANT[®]

HORECA-Style Hot Beverage Dispenser with Instant Products

- 8 product options, dispensing drinks in 8 seconds.
- Can serve up to 50 cups consecutively or 350 cups per hour.
- User-friendly front LCD display.
- Illuminated advertising panel on the front.
- 23 customizable product canister assignments.
- 3-4 product tanks (optional), 2-3 mixers (optional).
- Professional dosage adjustment.
- Drip sensor (can be activated or deactivated).
- Direct connection to water supply.
- Adjustable sensitive touchpad.
- Temperature and limit controls.
- Monitoring and accounting via a counter.
- Automatic testing function.
- Advanced error warning system.
- Easy program setup via USB, cloning (dosage adjustments), download options, and log retrieval.
- ARM processor with the latest software technology, supporting parallel protocol.
- Coin mechanism installation (Optional).
- Cup warming function.
- Energy-saving mode.
- Handles for easy transport.

Code: 869755498279

Dimensions: 40 X 42 X 70 cm

Weight: 31 kg



Midi Kafe®

Midi-Kafe®

A Practical Coffee Vending Machine for Small Spaces

- 6 product containers for 10 types of hot beverages (Coffee, Milk Powder, Chocolate Powder, Tea, Fruit Tea, Salep, Turkish Coffee, Sugar).
- 4 mixers and 5-level sugar adjustment.
- Capacity of 230 cups.
- Touchpad control with an LCD screen, and user-friendly interface.
- High-performance ARM microprocessor-controlled system (MDB), compatible with coin (non-refundable), contactless, MIFARE, credit card, or token operation.
- LED-illuminated polycarbonate advertising panel.
- IR sensor detects the presence of a cup before dispensing.
- USB support for retrieving statistics and reports.
- Plastic parts certified by NSF, ensuring health safety.
- Automatic water intake from a 19-liter bottle or optional connection to the water network.
- Special quality resistors and high-speed motors ensure foamy, aromatic, hot beverages.

Code: 869755498272

Dimensions: 52 X 52 X 90 cm

Weight: 55 kg

Optional Base: (53 X 53 X 78 cm, 38 kg)



Maxi-Kafe®

Maxi-Kafe®


The Perfect Solution for High-Consumption Areas with 18 Beverage Options

- High-performance microprocessor-controlled system with MDB / EXECUTIVE protocol support, EVA DTS protocol compatibility. Supports coin and change return systems, banknote mechanism, API payments via RS232, contactless, credit card, and token operation.
- 8 product containers (Coffee, Sugar, Tea, 2 Fruit Teas, Salep, Turkish Coffee / 3-in-1, Milk, Chocolate), 5 mixers, and 5-level sugar adjustment.
- Professional capacity with a 5-column cup mechanism (360 paper cups).
- Automatic stir stick dispensing feature.
- 20-selection touch keypad.
- Easy product price programming feature.
- Date/time functionality.
- Automatic cleaning after a user-defined number of cups dispensed.
- User-friendly interface and control menu with a graphic LCD screen.
- USB flash for device cloning, statistics, and log retrieval.
- Dual-language support (Turkish-English) on the display simultaneously.
- LED-illuminated polycarbonate advertising panel.
- IR sensor ensures beverage dispensing only when a cup is present.
- Pump designed to operate without water for up to 24 hours.
- NSF-certified, health-safe plastic components
- Special high-quality resistors and high-speed mixers provide creamy, aromatic hot beverages.
- Remote monitoring capability with the Elemetri application.

Code: 869755498273

Dimensions: 65 X 61 X 180 cm

Weight: 101 kg



Aqua Vend® Liquid Dispensing Vending Machine

- Automatic Digital TDS Measurement feature monitors water quality at all times and automatically disables sales when necessary.
- 19-liter and 5-liter filling capacity with the ability to pause and resume dispensing.
- Adjust time and price via a dedicated tablet or smartphone app.
- Enables real-time updates and remote management.
- Contactless and PIN-enabled credit card payment, physical POS (GPRS data card) for monitoring sales remotely.
- High-performance Banknote Reader system.
- Compatible with vending machine protocols.
- 400-Liter Tank Capacity Automatically maintained for continuous use.
- Displays service, error, and other warnings.
- Ensures efficient and rapid liquid distribution.
- Allows the addition of magnesium, collagen, C/B vitamins, and other supplements.
- UV system prevents bacteria buildup.
- All components meet health and safety standards.
- Elevator Bottle Door Mechanism Special design for 5-liter bottles.
- Modular System Design Plug-in and plug-out features for easy maintenance.
- Advanced Electronics Equipped with SMD circuit boards and ARM technology software.

Code: 869755498291

Dimensions: 90 X 110 X 60 cm

Weight: 180 kg



Supplement Vendor[®]

Supplement Vendor[®]

Sports Supplement Drink Vending Machine

- A reliable source of income for gyms, capable of preparing PROTEIN POWDER, GAINER, FAT BURNER, BCAA, NOX, PROTEIN + BCAA, BCAA + NOX, and PROTEIN + BCAA + NOX.
- 216 times faster than manual preparation.
- Prepares drinks without any residue left in the cup.
- High-Performance ARM Microprocessor Controlled compatible with MDB, coin mechanism (non-refundable), contactless, MIFARE or RS232 API payment, works with credit cards and tokens.
- User-friendly interface.
- Easy-to-use controls and menu options.
- Product preparation in 18-30 Seconds.
- Capacity of 100 Cups per Hour.
- IR Sensor dispenses product only when a cup is detected.
- 5 Mixing Product Bins Includes 2 Protein options (Chocolate & Strawberry), GAINER, FAT BURNER, NOX, and BCAA.
- Professional Dosage Adjustment Menu.
- Automatic Water Supply can be connected to a 19-liter water bottle or directly to the water supply (optional).
- Easy Price Adjustments

Code: 869755498272/01

Dimensions: 52 X 52 X 90 cm

Weight: 55 kg

Optional Base: (53 X 53 X 78 cm, 38 kg)





Bread on a Hanger Vending Machine

This machine allows people in need to obtain bread by assigning a certain number of rights through their TC/City ID card or any other card, granting them access to products according to their eligibility.

- Shopping with a single button press.
- Payment Systems (Optional).
- User-Friendly Graphic LCD Screen.
- Solar-Powered Operation (Optional).
- Direct City Power Connection.
- 3-column design, holding approximately 210 loaves of bread. Can be expanded to hold around 400 loaves with an additional module.
- BITE (Built-in Test Equipment) Automatically detects and resolves issues. Displays warning messages on the LCD screen for unresolved problems and maintains error logs.
- Easy Product Pricing Programming.
- LCD Screen to display product and machine information.
- Easy and Fast Bread Loading

Code: 869755498223-Ek

Dimensions: 162.5 X 78 X 221 cm

Weight: 340 kg

PPE Vending Machine®



Personal Protective Equipment Vending Machine

This PPE vending machine helps control the consumption of Personal Protective Equipment (PPE) used by workers in factory, tracking the usage on an individual basis.

- Legally protects the employer from unfair compensation claims.
- Reduces consumption by up to 50% through controlled usage.
- Efficient, space-saving design.
- Operates 24/7.
- Improves operational efficiency.
- Remote Monitoring System Allows access via smartphone, tablet, or computer through the Elemetri PRO system.
- Individual Reporting of employees.
- Daily, Weekly, Monthly, and Yearly Reporting.
- Personnel Cards offers restricted or unrestricted access based on personnel identification.
- User-Friendly Interface.
- High-Performance ARM Microprocessor.
- Durable and Vandal-Resistant.
- Equipped with tempered display glass and LED illumination for visibility.

Code: 869755498227

Dimensions: 79 X 96 X 180

Weight: 250 kg





Bus Vendor

Transport & Bus Self-Service Vending Machine



Bus Vendor

A "Profitable Solution" that can replace catering services on buses.

- Compact Design takes up minimal space.
- Remote Monitoring System (Elemetri).
- High-Performance ARM Microprocessor.
- MDB/Executive Protocol Support.
- Multiple Payment Options accepts banknotes, coins, with or without change, smart cards (cashless operation), credit cards, and tokens.
- Access to statistics, logs, updates, current settings, and records.
- Touchscreen and Anti-Vandalism Keypad.
- Graphical LCD Screen.
- LED Lighting provides bright and clear visibility.
- Alarm System protection against tampering and forced entry.
- IR Sensor ensures reliable operation.
- Effective cooling for hot summer days.
- Reinforced Polyurethane Insulation.
- Monoblock Body with ABS Coating.
- Works on 24V Battery Voltage.

Code: 869755498265

Dimensions: 85 X 125 X 50 cm

Weight: 155 kg



Aqua Vend®

A refrigerated water vending machine specially designed for buses, relieving bus personnel from service duties.

- Compact Design takes up minimal space.
- High-Performance ARM Microprocessor.
- MDB/Executive Protocol Support.
- Coin Mechanism Payment System.
- Holds up to 33 products in 500 ml PET bottles.
- Keeps beverages cool even on hot summer days.
- Durable Metal Case with a polyurethane monoblock body for added strength.
- Corrosion-Resistant Material.
- Dual-Level Lock Mechanism.
- Works on 24V Battery Voltage.

Code: 869755498261

Dimensions: 86 X 105 X 20 cm

Weight: 70 kg



Mobi Snack®

Mobi Snack is a refrigerated food and beverage vending machine specially designed for buses.

- Compact Design takes up minimal space.
- High-Performance ARM Microprocessor.
- MDB Protocol Coin Mechanism Payment System.
- Allows for statistics, log retrieval, updates, and access to current settings and records.
- Touchscreen and Anti-Vandalism Keypad.
- 2x16 Graphic LCD Screen.
- LED Lighting provides clear visibility.
- Tempered Double-Glazed Glass for added durability.
- IR Sensor to ensure reliable operation.
- Keeps items cool even on hot summer days.
- Reinforced Polyurethane Insulation System.
- Corrosion-Resistant Material.
- Works on 24V Battery Voltage.




Code: 869755498262

Dimensions: 86 X 105 X 25 cm

Weight: 75 kg




Custom Designs for Customers



Dessert Vending Machine
 Water Vending Machine
 Book Vending Machine
 Slipper Vending Machine
 Electronic Box Vending Machine
 Condom / Pad Vending Machine
 Ice Cream Vending Machine
 Mobile Accessory Vending Machine
 Stationery Vending Machine
 Newspaper Vending Machine
 Soup Vending Machine
 Liquid Dispensing Vending Machine
 Bread Vending Machine





Product	Maxi kafe	Midi Kafe	Mini Black Instant	Mini Black Espresso	Supplement Vendor	Mini Icy	Kafe Mat	Super Souper
LCD / GLCD	Large Graphical LCD for Easy Selections and Programming	2x16 Character LCD for Selections and Programming	2x16 Character LCD for Selections and Programming	2x16 Character LCD for Selections and Programming	2x16 Character LCD on the front for Selections and Programming	2x16 Character LCD on the front for Selections and Programming	2x16 Character LCD on the front for Selections and Programming	2x16 Character LCD on the front for Selections and Programming
Keypad	Direct Selection	Direct Selection	Direct Selection	Direct Selection	Direct Selection	Direct Selection	Direct Selection	Direct Selection
Selections	18 Selections	10 Selections	8 Selections	8 Selections	9 Selections	8 Cold-Drinks selection (4 single + 4 cocktail drinks)	4 Selections	3 Selections + Hot Water
USB connection, cloning, download (dosage adjustment)	√	-	√	√	√	-	√	√
Illuminated Ad Space	√	√	√	√	√	√	-	√
Payment System	MDB and Executive protocols Support, Coin Selector, Change Giver, Bill Validator, Cashless Systems	Coin Selector (MDB), Tokens or Cashless System	Coin Selector (Parallel Protocol)	Coin Selector (Parallel Protocol)	Coin Selector (MDB), Tokens or Cashless System	-	-	-
Stirrer Dispenser	√	-	-	-	-	-	-	-
Cup Sensor	√	√	-	-	-	-	-	-
Sugar Dosage	√	√	-	-	-	-	√	-
Cup Dispenser & Capacity	360 Cups	200 Cups	-	-	-	-	-	-
Canisters	8 Tall Canisters (Coffee, Sugar, Tea, Milk Powder, Chocolate, Fruit Tea 1, Fruit Tea 2, Sahlep (Premix))	6 Tall Canisters (Coffee, Milk Powder, Chocolate, Fruit Tea, Sugar, Tea)	3 or 4 Canisters, (Coffee, Milk Powder, Tea, Chocolate)	3 Canisters, (Coffee, Milk Powder, Chocolate)	5 Tall Canisters, (PROTEIN 1, PROTEIN 2, GAINER, FAT BURNER, BCAA, NOX)	4 Ingredient canisters	3 Canisters, (Coffee, Milk Powder, Sugar)	3 Canisters
Instant Product Container	√	√	√	√	√	√	√	√
Coffee Bean Container	-	-	-	√	-	-	-	-
Mixers	5 Mixers	4 Mixers	2 Mixers or 3 Mixers	2 Mixers	4 Mixers	1 Mixer	1 Mixer	2 Mixers
Heating (or) Cooling	4,5 L Boiler Tank 1800 W Immersion Heater	4,5 L Boiler Tank 1800 W Immersion Heater	4,5 L Boiler Tank 1800 W Immersion Heater	4,5 L Boiler Tank 1800 W Immersion Heater	-	1.8 L internal cooling unit	0,75 L Boiler Tank 800 W Immersion Heater	4,5 L Boiler Tank 1800 W Immersion Heater
Water Supply	Tap Water or Water Tank	Tap Water or Water Tank	Tap Water or Water Tank	Tap Water or Water Tank	Tap Water or Water Tank	Tap Water or Water Tank	Tap Water or Water Tank	Tap Water or Water Tank
Electricity Supply / Consumption	230 V - 50 Hz / ~ 1800 W	230 V - 50 Hz / ~ 1800 W	230 V - 50 Hz / ~ 1800 W	230 V - 50 Hz / ~ 1800 W	230 V - 50 Hz / ~ 100 W	230 V - 50 Hz / ~ 350 W	230 V - 50 Hz / ~ 800 W	230 V - 50 Hz / ~ 1800 W
Dimensions (cm)	57 X 65 X 165	52 X 52 X 90	40 X 42 X 70	40 X 42 X 80	52 X 52 X 90 CM	30 X 42 X 70	21 X 40 X 60	40 X 42 X 70
Weight (kg)	110	55	31	35	55	35	15	31
Base Stand	FREESTANDING EQUIPMENT	Optional (53 X 53 X 80 CM)	Optional (40 X 50 X 80 CM)	Optional (40 X 50 X 80 CM)	Optional (53 X 53 X 80 CM)	Optional (36 X 50 X 80 CM)	Optional (36 X 50 X 80 CM)	Optional (53 X 53 X 80 CM)



Product	Maxi Buffet Combo Vending	Cold Drinks Vending Machine	Vend ICE Midi	Vend ICE NOVO	Bread And Bakery Vending	Personal Protective Equipment Vending	Midi Buffet STD	Midi Buffet Slim	Midi Mobi Novo
Machine Type	Spiral	Spiral	Spiral	Spiral	Spiral	Spiral	Spiral	Spiral	Spiral
Rows	6 Tray	6 Tray	4 Tray	5 Tray	6 Tray	6 Tray	4 Tray	10 Tray (single selection)	2x13 Tray (single selection)
Selections (Fixed/Variable)	54 - Variable	54 - Variable	28 - Variable	35 - Variable	26 - Variable	54 - Variable	28 - Variable	18 - Fixed	20 - Fixed
Temperature & Control	3°C	3°C	-22°C	-22°C	40°C	-	3°C	5 - 6°C Less than room temperature	-
Dimensions & Weight	79 x 96 x 180 cm 270 kg	79 x 96 x 180 cm 270 kg	73 x 65 x 150 cm 150 kg	87 x 81 x 187.5 cm 250 kg	79 x 96 x 180 cm, 250 kg	79 x 96 x 180 cm, 250 kg	73 x 65 x 150 cm 150 kg	82 x 22 x 125 cm 50 kg	85 x 37 x 206 cm 150 kg
Temperature Module	Optional Cooling	Optional Cooling	Obligatory Cooling	Obligatory Cooling	Heating Module	-	Optional Cooling	Optional Cooling	-
Payment System	MDB Support, Coin Selector, Change Giver, Bill Validator, Cashless System	MDB Support, Coin Selector, Change Giver, Bill Validator, Cashless System	MDB Support, Coin Selector, Change Giver, Bill Validator, Cashless System	MDB Support, Coin Selector, Change Giver, Bill Validator, Cashless System	MDB Support, Coin Selector, Change Giver, Bill Validator, Cashless System	MDB Support, Cashless System	MDB Support, Coin Selector, Change Giver, Bill Validator, Cashless System	MDB Support, Coin Selector, Change Giver, Bill Validator, Cashless System	MDB Support, Coin Selector, Change Giver, Bill Validator, Cashless System
Base Stand	-	-	-	-	-	-	-	-	-
Electricity Supply /Consumption	230V - 50Hz, 50W - Standby, 450W - Cooling in operation	230V - 50Hz, 50W - Standby, 450W - Cooling in operation	230V - 50Hz, 550W - Cooling in operation	220-240V - 50-60Hz, 70W Standby, 650W Cooling in operation	230V - 50Hz, 50W - Standby, 6000W - Heating in operation	230V - 50Hz, 70W	230V - 50Hz, 550W - Cooling in operation	230V - 50Hz, 50W - Standby, 100W - Cooling in operation	230V - 50Hz, 70W

Remote Monitoring Programs - Payment Systems

Elemetri®, Elemetri Pro®, Elemetri Cashless®

- All of our high-end devices are compatible with Elemetri, Elemetri Pro (PPE Vending Machine) tracking systems and the Elemetri Cashless Payment System.

Elemetri®

- You can remotely access all the details of your vending machine (shelf-stock status, machine functionality, etc.).
- You can view the remaining product quantities and the total amount of money collected in the vending machine.
- The system saves you time, money, and energy by eliminating the need to constantly check on the machine.



Elemetri Pro®

- With this system integrated into the PPE Vending Machine, you can limit the amount of personal protective equipment (PPE) each worker can receive.
- You can generate historical reports and perform statistical analysis at any time.

Elemetri Cashless®

- With this payment system, you can enable your customers to use the vending machines through virtual POS or by setting up payment points, without ever handling banknotes.
- It eliminates issues such as coin jams and account deficits.

Our devices are designed according to the MDB protocol, making them compatible with all payment systems (refund, non-refund, paper money, coins, credit cards, etc.). These systems can be integrated into our devices, which are built with modular technology, either during purchase or later as an upgrade.



Let your mobile phone, tablet, or computer turn into your office! ..

EXPORT TO 60 COUNTRIES



Tru-VEND[®] *Vending Machines*



Izmir Ataturk Industrial Zone

M. Kemal Ataturk Blv. 23, Cigli 35620,

Izmir, **Türkiye**

Tel: +90 232 376 7300 | Fax: +90 232 376 7030

www.elektral.com.tr | elektral@elektral.com.tr

